

Cloud palace

We surround the sea of clouds, rocks, Qingjian and other natural landscape, to create a collision between natural scenery and office space, different seasons, the scenery is different, for our design provides a very good concept, cloud palace product design is Inspired by this concept.

RENOFLOR®
CARPET TILE


云宫03/04




云宫02

云海寓意一种境界，
即像云一样在空中自由飘荡，
像海一样博大精深。云海无边
无际也象征着漫漫的人生之路。

The sea of clouds means a realm,
that is, floating freely in the air like
clouds, as broad and profound as
the sea. The endless sea of clouds
also symbolizes the long road of life.





ENVIRONMENTAL PROTECTION IMPROVE COMFORT UNDER THE FEET

云雾不停变幻，时而升腾飘飞，
时而流动飘逸，时而静谧安静，
时而灵动跳跃
Clouds and mists constantly change,
sometimes rising and flying,
sometimes flowing and flowing,
sometimes quiet and quiet,
sometimes smart and jumping

云宫02/11/31







It's not complicated to say,
the smooth water runs deep ,
and the space can be
sprinkled with vast
atmosphere naturally.










Design originates from life

details achieve quality




The age of individuality is to let

the free heart beat in every corner.


It can be **unrestrained**,


it can be trusted.

Art comes from life, and life is the source of art, and the pursuit of artistic beauty in life. The real design is to return the space, color and design to the standard.













云宫01/04/21




Style always a controversial topic,
is it decoration or stacking?
It's better to subtract space
and delete complexity.With the most
straightforward idea, let gorgeous
turn into another quality of life.







云宫01


云宫02


云宫03


云宫04


云宫11


云宫21


云宫31


云宫41

Specification

Name: Cloud Palace

Face Fiber: 100%Nylon(type 6)

Dye method: 100% solution dyed

Backing: PVC

Pile Weight: 550g/m²

Product Size: 500mmx500mm

Stitches per cm: 38 per 10cm

Gauge: 1/12

Antimicrobial: PASS AATCC TM 174

Radiant panel: (ASTM E 648)CLASS I

Nbs smoke:(ASTM E 648) less than 450

Electrostatic propensity: less than 3.5KV

Dimensional Stability: PLess than 0.1% change

Colorfastness to Light: Rdting 5.0 =No Change

Area of Use: Commercial heavy duty area